

C. **Modification Approval 6 submittals and ,nquiries.** Contact the Associations Mangment Company at:

Pinewood Lakes Design and Modification Committee
\$VRFLDWHG0DQDJHPHQW,QF
:MOOWRZHU'U
0HULGLDQ,'
Telephone: (208)

25

6XPLWRXUHTXVWWKURXKRZHEVLWHDWZZZ3LQHZRRG/DNHVFRP
RXLOOILQGDOOWKHXRWDWHGRFRHQWVXGHUWKH'HVLJQ0RGWDEDQG
WKHFDQEHVXPLWWHGWKURXKWKH5HTXVW)RUPVSDJH

II. **Guidelines for the most frequently requested modifications and changes:**

- A. **Repainting.** Repainting and/or staining is the most commonly requested modification.
1. The Community Wide Standard for color is “earth tones”.
 2. Earth tone is a color scheme that draws from a color palette of browns, tans, warm grays, and greens. The colors in an earth tone scheme are muted and/or flat in an emulation of the natural colors found in dirt, moss, trees and rocks.
 3. Because colors vary widely based upon computer and printer and monitor calibration systems used, please include a color swatch/chip/sample of the brand of paint/stain to be used.

- B. **Storage Sheds.** Detached storage sheds shall be allowed if in conformity with this Policy and as approved by the DMC.
1. Storage sheds shall be constructed and roofed with the same materials, similar colors, and design as the home.
 2. Metal, resin, and plastic type materials sheds are prohibited.
 3. Sheds shall be small, not to exceed 200 square feet in size, and not requiring a City of Star Building Permit.
 4. Shed shall meet subdivision setback requirements.
 5. Sheds shall be maintained to the same standards as the home.
- C. **Fences.** New or replacement fences shall be of compatible style, color and material to adjacent fencing, typical of the quality fences throughout Pinewood Lakes.
1. No fence, hedge or boundary wall shall have a height greater than five (5) feet above the finished graded surface. Exception: Any fence constructed immediately adjacent to a swimming pool may be at a height required by applicable codes and/or liability insurers.
 2. Fences adjacent to common areas shall constructed with an open, wrought iron style design.
 3. Fences on the front of the house shall not extended past the front plane of the structure.
 4. Fences hedge or boundary wall on any corner lot shall not obstructs site lines at the street corner.
 5. A fence built on the lot line between two adjoining properties shall be constructed as a "good neighbor" fence or wall and shall constitute a party structure which is subject to the provisions and laws regarding party walls.
- D. **Recreation & Play Equipment.** Family recreation and playground equipment is allowed, provided that it respectful and considerate of the neighbors.
1. Playhouses, playground equipment, pools, pool slides, diving boards, hot tubs, spas, or similar items shall not be higher than five (5) feet above the finished surface graded.
 2. Basketball backboards shall not attached to the front of homes, but basketball courts, or portable basketball devices are allowed in the back or side yard.
- E. **Dog Houses and Runs.** Structures such as dog houses or dog runs are not specifically prohibited; however, such structures are subject to DMC approval.
1. In general, dog houses or dog runs shall be placed adjacent to the main structure and screened from sight of other homes, streets or common open space.
 2. In no event shall dog containment facilities be located closer than 10' from any side or rear Lot line.
 3. The containment facilities shall be constructed of materials that will assist with maintenance and eliminate all possibility for odors.

F. **Setback Requirements** Modifications, exterior renovation, exterior improvements, additions to existing property, or any new construction must meet the setback requirements .

1. Setback requirements are based upon the City of Star Zoning regulations and the Plat Map approved by the City for each Phase of the Pinewood Lakes subdivision.
2. Pinewood Lakes is covered by two Zoning areas. As a quick reference approximation, the dividing point is a line drawn on Highbrook Way (next to the swimming pool) which runs North to State Street and South through The Rerserve. The one third of Pinewood Lakes West of the pool is Zones R2 and the two thirds East of the pool is Zoned R4.

R-2 Standards	Requirement
Front setback	30 feet
Rear setback	30 feet
Interior side setback	10 feet - plus 5 feet for each additional story

R4 Standards	Requirement
Front setback	15 feet to living area and 20 feet to garage
Rear set back	15 feet
Interior side setback	5 feet - plus 5 feet for each additional story

G. **Solar Considerations.** The design and placement of solar system should take into account the preferred location of the system on the home and of neighboring houses.

1. Solar collectors and associated hardware shall be an integral part of the design of the house and shall not have a “tacked-on” appearance.
2. Placement of the solar collectors should consider the impact of glare on neighboring outdoor living spaces.
3. Passive solar systems are preferred.
4. All solar tubes, skylights, solar power panels or other solar devices mounting hardware, pipes, conduits and cabling shall be painted to match the house color schemes or treated to eliminate reflective glare.
5. **Roof-mounted solar power panels shall be:**
 - a. The preference is for roof-mounted systems to be on the backside of the house, garage roof or the patio roof where the panels are not visible from the street fronting the house.
 - b. Solar panels are premitted to be on the visible street front side if the installation is orientated to the South, or within fortyfive (45) degrees East or West of due South.
 - c. Mounted on the existing roof and installed so that the panels are flush-mounted, parallel to the roofline, to conform to the slope of the roof.
 - d. The solar panels, wiring, conduits or any exposed parts shall not be higher than the roof peak.

- e. Solar panels with black a back-sheet are preferred. The dark back-sheet minimizes the visibility of the lines in the solar panels.
- f. Any panle frames, support brackets, or visible piping or wiring shall be painted to coordinat with the roofing material and house color.

6. **Ground-Mounted Solar Panels shall be:**

- a. Ground mounted solar panels shall only be installed in the rear yard of homes with solid “privacy” fencing. This type of equipment is not authorized in yards with open wrought iron fences.
- b. No portion of the unit may exceed five feet in height from the ground below it.
- c. Ground-mounted solar collectors shall be within the setback lines in accordance with City Codes / HOA CC&R’s and concealed from neighbor’s view to the extent reasonably possible.
- d. No ground mounted devices or their components should be affixed to a block wall or wood fence.

H. **Exterior Lighting.** Exterior lighting should be consistent with the Star’s “dark sky” objectives of minimizing light pollution.

- 1. Exterior lighting for safe and security is allowed; however, such bright lighting should control by sensors or switches and not be constantly on.
- 2. Concealed or indirect light sources (such as a “can” fixture) are recommended on the side and rear yard areas.
- 3. Decorative-type fixtures on the front walls of homes should be limited to use 60-watt or 820 lumens bulbs.
- 4. Exterior lighting that can be seen from streets, Common Area or neighboring homes must be indirect to minimize interference with drivers and neighboring homes.
- 5. Flood or spot lighting (for dedicated use in recreation/play areas) shall be focused on the homeowners yard and be unobtrusive to neighboring homes.
- 6. Colored light sources shall not be allowed, except for temporary holiday lighting.

I. **Landscaping.** Landscaping shall be designed to harmonize with the architectural design of the home, the neighborhood and the Common Areas. The following are the guidelines used for maintaining the Community Wide Standards appearance of Pinewood lakes.

- 1. **Front Yards.** The following guidelines are used when designing, changing and/or installing the front yard landscaping.
 - a. All landscape areas shall be irrigated by an underground sprinkler system.
 - b. Sixty percent of the ground area is planted in grass. Forty percent of the ground area is typically planted with shrubs or ground cover.
 - c. Natural, native bark product ground cover mulches and rock product designed specifically for ground cover are allowed.
 - d. Landscape boulders used to accent shall be of sufficient and appropriate size to properly compliment the landscaping plan.

- e. A minimum of 2 trees are planted in an informal pattern in the front yard.
- f. Trees shall not be planted closer than 6 feet from the curb or within the street right of way.

- 2. **Rear Yards.** The following guidelines are used when designing, changing and/or installing the rear yard landscaping.
 - a. All rear yard shall be landscape and irrigated by an underground sprinkler system.
 - b. A minimum of two trees shall be planted in the rear yard area. The location and species of the trees shall be selected by the owner according to use and privacy needs of the rear yard.

- J. **Flagpoles.** Flagpoles appropriate for residential neighborhoods are permitted under the following guidelines.
 - 1. Poles shall be of any material specifically designed as a flag pole. Pipes and other general purpose construction materials are not permitted.
 - 2. Flagpole shall be proportional to the home size and should not be approximately any higher than the home.
 - 3. In no case shall the flagpole be more than six feet higher than the peak of the homes roof.

- K. **Signs.** The types, sizes and placement of signs in Pinewood Lakes is controlled by these guidelines. Approval by DMC is not required when signage is in accordance with the Standards listed below. Permitted signs must comply with the restrictions applicable to that type of sign, as well as with the general restrictions applicable to all signs.

- 1. **Real Estate Signs:**
 - a. Are limited to one sign per premises.
 - b. May not exceed 18 inches in width and 24 inches in length.
 - c. May include an "information box".
 - d. Are allowed only when the property is actively for sale or rent or its sale is pending.
 - e. Must be freestanding and mounted on a post or stake. May not be attached to a tree or other natural surroundings.
 - f. Must be removed within 5 days after transfer of ownership (closing) or lease commencement, whichever is applicable.
- 2. **Construction Signs:**
 - a. Are limited to one sign at any one time.
 - b. May not exceed 5 square feet per sign in total area.
 - c. Are permitted only during construction, improvement or landscaping.
 - d. Must be freestanding and mounted on a post or stake. May not be attached to a tree or other natural surroundings.
 - e. Must be removed no later than 5 days after completion of the project.

- 3. **Security Signs:**
 - a. Are limited to one sign per system provider.
 - b. May not exceed 1-1/2 square feet per sign.

- c. Must be mounted on the owner's home or freestanding and mounted on a post or stake. May not be attached to a tree or other natural surroundings.

4. **Political Yard Signs:**

- a. Are limited to two sign for either a candidate or a ballot measure of an upcoming election.
- b. Are permitted only during the 45 days preceding the election.
- c. May not exceed 5 square feet per sign in total area.
- d. Must be freestanding and mounted on a post or stake. May not be attached to a tree or other natural surroundings.
- e. Must be removed within 2 days after the election date (regardless of any court challenges).

5. **Specialty Signs:**

- a. Are limited to one sign per premises.
- b. May not exceed 18 inches in width and 24 inches in length.
- c. May include an "information box".
- d. Are allowed for three days: day before, day of and day after the special event.
- e. Must be freestanding and mounted on a post. May not be attached to a tree or other natural surroundings.
- f. The management company office must be notified of these events so that potential calls from other residents can be properly handled.

6. **All Signs:**

- a. May not be illuminated signs.
- b. In the interest of safety, must be located to avoid interference with pedestrians, traffic and traffic views.

7. **Signs in Common Areas:**

- a. Any permanent sign in HOA common areas are controlled by the Board and must be approved by the Design and Modification Committee.
- b. Temporary signs, such as Open House or Specialty (party) Signs, which point visitors to a onetime event may be placed in a common area only on the day of the event.

8. **Personal Signs.** The following are considered personal signs which are not subject to this policy:

- a. A display of the owner's name or the premises address on the owner's home or a mailbox.
- b. A "welcome marker" or plaque on, or near the entrance to the owner's house.
- c. A premises locator required by fire regulations or Emergency Medical Services.
- d. "No Solicitors" signs.
- e. "Holiday greetings" displays such as Merry Christmas or Happy Chanukah.

Article II. New Construction Submittal and Approvals.

A. **New Construction** Construction of new buildings and/or houses in Pinewood Lakes will be a rare occurrence but when the need arises the following procedures shall be utilized.

B. **Preliminary Submittals**. Preliminary submittals are not required but are encouraged to save time and money preparing finished plans that may not meet design standards. The purpose of preliminary submittal is to review designs at the preliminary design stage to give the DMC a chance to comment on designs that may not be in keeping with the concepts of Pinewood Lakes or that could be duplications of other designs in close proximity to the requested improvement, or to suggest changes in the design.

1. **Intent**. The intent of the preliminary submittal and approval process is to identify and eliminate difficulties that could arise in the final construction approval review, thus speeding the overall process.

a. **Form**. Preliminary submittal shall be made by submitting a "Design and Modification Committee Approval Application". The following must be attached to the application form:

b. **Site Plan**. Application for preliminary approval shall include a complete site plan at a minimum scale of 1/8" equals 1'-0", which shows the lot; adjacent streets and any watercourses; the orientation of the site; the exterior perimeter and dimensions of the lot; existing trees; any significant topographical features; the location of fences and structures on adjacent lots; all setbacks and easements; the location of all buildings, patios, decks, fences, screens, driveways and walks; the location of all utility services and meters; the location of all mechanical items and electrical fixtures not attached to the building; existing grades at the corner pins; proposed grade changes; finished main floor elevation; and proposed finish grading designed to contain surface drainage from flowing onto adjacent properties.

c. **Building Elevations**. All exterior elevations shall be shown at a minimum scale of 1/8" equals 1'-0". The elevations shall be drawn correctly in coordination with the floor plan and shall show the improvement exactly as it is proposed to be built.

d. **Floor Plan**. A floor plan at a scale of 1/4" equals 1'-0" shall be submitted exactly as the improvement is proposed to be built.

2. **Preliminary Approval**. The submittal of an application for preliminary approval shall not be deemed to be approval to begin construction. Commencement of work shall not be undertaken prior to the applicant's having received written approval from the DMC and the applicant shall not proceed beyond the extent of the work approved. Verbal approval to proceed coming from any source other than the DMC does not constitute approval to proceed with work on the site.

3. **Expiration of Preliminary Approval**. The preliminary approval shall be valid for a period of six months, at which time it shall expire.

C. **Final Submittal and Approval.**

1. **Purpose.** Final submittals and DMC written approval are required prior to construction.

2. **Form.** Final submittal shall be made by submitting a "Design and Modification Committee Approval Application". The following must be attached to the application form:

b. **Site Plan.** The application must be accompanied by a complete site plan with roof plan at a scale of 1/8" equals 1'-0" containing the same information that is required for preliminary approval.

c. **Building Elevations.** All exterior elevations shall be shown at a minimum scale of 1/8" equals 1'-0" containing the same information that is required for preliminary approval.

d. **Floor Plans.** Floor plans for the proposed improvement shall be submitted at a scale of 1/4" equals 1'-0". The square footage of each floor shall be designated, as well as the total square footage of the plan, including the garage and any detached garage and/or accessory structure. Requirements of the preliminary submittal process also apply.

e. **Three Dimensional Representations.** It may occur in the case of complex roof forms or unusual structures that the DMC may require isometric or perspective views or models in order to fully understand the visual impact of or the three-dimensional feasibility of the proposed improvement. The applicant shall be notified of this requirement by the DMC during the preliminary approval process.

f. **Exterior Lighting.** Exterior lighting location shall be shown the site plan and floor plan, including landscape lighting fixtures, to be used shall be submitted with the application.

g. **Exterior Colors and Materials.** Exact color samples of all exterior paint and stain colors shall be submitted with the application. Samples of all other materials such as brick and stone shall be shown on the plans to include name, number, color, and supplier. Plans shall be marked to indicate what areas are trim.

h. **Staging Area.** The application shall show the staging area during the construction period.

3. **Inspection.** Submittal of the application is authority for the DMC to make a physical on-site inspection of the Lot and proposed improvements. In addition, the Owner shall be responsible for notifying the DMC when construction of the improvements are complete, at which time the DMC may again make an inspection to verify compliance with the application as approved.

4. **Expiration Date of Approval.** The construction approval shall be valid for a period of 1 year at which time it shall expire.

5. **Rehearing.** The DMC may hear one additional presentation from the Owner or builder, following its first formal review to insure that there has been no misunderstanding of the application. After the second review or hearing, the

DMC's approval or rejections of the submittal shall be considered final. Additional DMC hearings shall not be granted unless substantial changes in the application have been made. A final DMC disapproval of a submission may be appealed to the Board of Directors of the Pinewood Lakes Community association.

D. **Approval submittals and inquiries.** Contact the Associations Mangment Company at:

Pinewood Lakes Design and Modification Committee
c/o Development Service Inc.
9601 W. State Street, Suite 203
Boise, Idaho 83714
Telephone: (208) 939-6000; Fax: (208) 939-6118

ARTICLE III. DESIGN AND MODIFICATION GUIDELINES

I. **GENERAL GUIDANCE**

A. **Perceived Quality.** To achieve a high quality community image, both the overall building appearance and the building details should convey a sense of solid, permanent construction. The DMC discourages facade treatments that are associated with impermanent, hastily built, or obviously inexpensive construction materials or techniques. Regardless of the quality of the material used, tacked-on, veneer-type facade treatments will be strongly discouraged by the DMC, as will any cost-cutting methods, such as too-thin fascia boards, exposed rafter tails, or untrimmed doors and windows.

B. **Scale and Proportion of Dwellings.** The finished street scape should not create the impression of oversized houses pushing too close to the street. The interest here is to provide additional landscape along the street rather than to fill the Lot with structures. Vertical and horizontal offsets are encouraged in preference to houses with long, tall, or unbroken walls and roofs butting against the minimum setbacks.

C. **Consistency.** A goal of the DMC is to achieve a high level of consistency of design on all surfaces of the houses and other improvements in Pinewood Lakes. The average tract subdivision fails to achieve the high-quality community image that is the goal of Pinewood Lakes, not so much through a lack of continuity of design between one house and another, as primarily through the generalized failure of individual units making up the development to achieve a level of design consistency and substantial quality within themselves. Houses that may attempt a statement of quality on their street frontage but abandon all pretense of design or quality on their sides and rear will not be approved. A house that may be of simple design and constructed of modest materials will usually communicate a more convincing image of quality than the house with brick and two story Georgian columns on the front

without continuity on the other three building sides. It is the business of the DMC to discourage the latter approach in Pinewood Lakes and to encourage the former. A development allowing this latter type of design is disparagingly referred to as a typical "tract" subdivision.

D. **"Period" Architecture.** A submittal imitating a "period" style (for example, Georgian, Tudor, etc.) is expected to be an authentic representation of the original style and to be consistent with that style from all views. The DMC is not opposed to designs evoking "period" styles, but the applicant should be aware that the DMC will be looking for evidence of a clear intent as well as consistency within the context established by the design.

E. **Privacy Screens.** The preferred privacy screen is one which is treated as an architectural extension of the house, both in its design and in its materials.

F. **Horizontal and Vertical Offsets.** It is usually more effective in achieving the effect of a substantial edifice to have fewer but larger horizontal and vertical offsets rather than a series of small jogs. This design "trick" is at the heart of the goal of the DMC to encourage the achievement, through sensitive design, of the appearance of greater quality at lesser cost.

G. **Scale.** It is important that the homes not be over scaled. Open space between houses and greater than required setbacks are encouraged. Continuous rooflines therefore should not exceed approximately half the frontage width. Changing the roof directions or using offsets or major roof projections should be used to break rooflines.

H. **Roofs.** All roof styles are allowed, depending upon the designer's ability to produce the visual impact of quality regardless of the materials used. In general, roof styles should not be mixed. Roof pitches, in general, should be consistent throughout the overall structure including attached and/or detached garages or auxiliary structures.

I. **Openings and Projections.** Large blank walls should be avoided. Large gable ends of two story houses should be broken with projections or recesses rather than windows alone. Around windows and doors, projections or recesses are preferred to windows cut into the surface of the wall. Windows with a definitely visible trim surrounding are preferred to windows with no trim.

J. **Fascia and Rafter Tails.** Fascia should be a minimum of 8" deep and should be constructed of nominal 2" thick material.

K. **Roof and Attic Vents.** Roof and attic vents shall be shown on the building elevations. The type, size and proposed design shall be clearly shown. Unfinished metal shall be painted black.

L. **Material Changes.** To avoid a tacked-on, low quality, thin veneer look, material changes should be made at an inside corner or at a major wall opening. Changes at outside corners should either be avoided or the material wrapped around the corner at least 1'-6" minimum.

M. **Joints in Siding Materials.** Nearly every siding material requires joints of some type in order to extend across the area to be covered. The treatment of these joints provides important visual clues regarding the quality of the siding construction. For

all except wood and masonry sidings, the type and placement of the joints and/or joint covers must be indicated on the drawings. No hard and fast rules can be given by the DMC to cover all situations, except to say that joint treatment (particularly expansion joints in stucco, batts and joint covers used with hardboard siding) must be integrated carefully into the overall design of the house.

N. **Garages**. Seen from the street, the main living areas of the house should dominate over the garage where possible. The visual impression should be that of a house with a gracious entry, not that of a garage and a driveway.

1. Where possible, side-entry garages are encouraged. Garages can be de-emphasized by placing the garage at an angle to the street and providing landscaping for screening.
2. Detached garages will require the same architectural design as the main structure in all aspects. Detached garages are acceptable, provided however that detached garages must be in proportion, design, and scale to compliment the main structure.

II. DESIGN AND CONSTRUCTION

The following is a list of certain design and construction guidelines that may assist an Owner/Applicant; provided, however, that the following guidelines shall in no respect modify the Declaration.

A. **Building Height**. Building height limitations may be imposed by the DMC in order to preserve views and to minimize the adverse impact of structures on sensitive open areas or air and light requirements of other properties.

B. **Chimneys**. All exterior chimneys must be of wood, stone, brick, or metal, and its cap shall be screened by an architecturally pleasing metal shroud. A metal chimney must be of such a color as to blend in aesthetically with the residence and will be subject to approval by the DMC. All unfinished metal shall be painted black.

C. **Driveways**. Driveway cuts onto streets shall be limited to 1 per Lot, unless otherwise approved by the DMC. The finish material shall be either concrete, unit pavers, or asphalt if bordered with a banding of concrete or unit pavers. The width of the driveway shall be limited to 25' at the street. Circular driveways may be allowed and will allow two driveway-cuts per lot.

D. **Excavation**. All excavation must be done so as to create a minimum disturbance on the Lot and surrounding properties. Debris as a result of excavation must be removed from Pinewood Lakes. Footings and foundations must be set at an elevation meeting all governmental standards for construction within a floodplain.

1. Basements are not allowed in Pinewood Lakes Subdivision. All of the lots in Pinewood Lakes have been filled to raise the lots out of the 100-year floodplain in accordance with the City of Star and all regulating agencies. The Federal Emergency Management Agency (FEMA) issued a LOMR (Letter of Map Revision) for the area of Pinewood Lakes indicating that it has been raised out

of the 100-year floodplain. Owner acknowledges that certain lots contain engineered fill and loose alluvial soils that are prone to compaction under pressure. The home designer is encouraged to contact a geotechnical engineer prior to construction regarding the risk of damage posed by engineered fill and loose alluvial soils.

2. A portion of lots in “The Reserve”, adjacent to the lakes may remain in the 100-year floodplain. Building footprints shall be contained within the portion raised out of the 100-year floodplain.

E. **Exterior Walls and Trim.** Wood (natural or treated with semi-transparent stains), stucco, local stone, and brick are preferred for exterior walls and trims. True lap Masonite type siding is preferred to cottage lap.

F. **Exterior Appearance.**

A. **Building Walls.** Exterior color and material treatment used on the building walls shall be continuous and consistent on all elevations of a residence in order to achieve a uniform and complete architectural design and to avoid a “veneer” look.

B. **Harmony.** Exterior colors of residences and other improvements must harmonize within themselves and be harmonious with their surroundings. All colors are subject to approval by the DMC. All reflective metal such as chimney stacks, flashings, exhaust vents and pipes must be painted black.

C. **Window Treatment.** All draperies and window coverings should be of materials and colors that harmonize with the surroundings and should be chosen in consideration of neighbors and neighboring views. Windows should be consistent in design throughout.

D. **Utilities.** In general, all utility meter panels shall not be visible and shall be installed according to design guidelines available from utility companies and those set forth by the DMC. Such panels are not to be installed on the front plane of the building facing the street.

E. **Gutters and Down Spouts.** All gutters and downspouts shall be designed as a continuous architectural design feature. Exposed gutters and down spouts shall be colored to blend in with the surface to which they are attached.

G. **Heating and Cooling Systems/And Utility Type Exhaust Fans.** All interior or exterior heating or cooling systems must be screened from the view of neighboring property, streets, and the Common Area, and must be insulated for noise so as not to be heard from adjoining properties. Exhaust fans producing odors, fumes, or dust must be screened from view of neighboring property, streets, and Common Area and placed a minimum of 5’ from any Lot and shall not be allowed to cause a nuisance for neighbors or Common Area facilities.

H. **Mailboxes.** All mailboxes shall be the boxes and stand provided by the Association.

I. **Parking.** A minimum of 2 parking places shall be required for each Lot.

J. **Prefabricated Housing.** Prefabricated housing is not allowed including mobile homes, manufactured homes, modular homes or any type of home constructed at a remote location and transported to the lot for placement on a foundation. Prefabricated components such as roof trusses, floor joists, and panelized individual walls may be allowed and shall be shown on the construction drawings and/or specifications.

K. **Roofs.** Residential architectural asphalt shingles, slate and concrete, or clay tiles shall be the only approved roof materials unless other materials are specifically approved by the DMC. Asphalt shakes are to be uniform throughout in a color and style approved by the DMC. Asphalt shingles are to be Pabco 30-year in the Weathered Wood color. Use of slate or concrete tiles must be of the same color and general style of the asphalt shingles designated. It should be noted that different manufacturer's colors may vary slightly.

L. **Service Yards.** When not provided by other structures, each residence should have a screened service yard, enclosing garbage and trash containers, firewood, bicycles, and other items of personality and must be placed where they will not be seen from the streets or neighboring homes.

M. **Utilities.** All connections from trunk lines to individual structures must be underground.

1. Exposed plumbing and electrical lines are not allowed.
2. Material must conform to applicable city and/or state Electrical and Plumbing Codes.
3. Water and sewer hookups must be inspected by the appropriate governmental inspectors.
4. All excavation for site utility hookups must be restored to its natural condition.
5. The location of all air conditioning condenser units, power and gas meters must be shown on the drawing with appropriate structured screening. Where possible, cluster all utilities into one area and conceal by a single screen.

N. **Construction Staging and Conduct.** Construction Approval submittal shall designate at least one staging area for a Lot subject to approval by the DMC. Building materials and construction vehicles shall be kept completely on the construction site unless prior approval of the DMC is obtained. The construction area shall be kept free of litter and debris. Loud music, profanity, alcoholic beverages, and animals not on a leash will not be allowed. Consideration shall be given to existing families with regard to extra early or late hours of construction. Use of profanity or obscene language shall be prohibited. All debris shall be contained at all times within a construction facility for each site or a commercial facility. Such facility shall have a cover and be disposed of weekly. Due to the nature of the site, winds, and open waterways, it is important that all debris be contained at all times. Approved hours of construction for outdoor activity that might create noise are weekdays 6:30 a.m. to 6:30 p.m.; Saturdays 8:00 a.m. to

5:00 p.m. Outdoor construction activity is not allowed on Sundays without permission of the DMC

O. **Garages and Carports.** The design of all garages attached and unattached to main residence shall be subject to DMC Approval.

P. **Mechanical Projections from Roof.** Insofar as possible, plumbing vents should be grouped on that face of the roof that is opposite the street approach to the residence. Gas or other chimney flues or pipes protruding from the roof exceeding 2 feet in height shall not be allowed. Such pipes shall be located in a chimney chase of a design compatible to the architecture of the house. The location and design of these chases shall be shown on the final drawing submittal.

Q. **Windows.** Consistency in type, style, trim and sometimes in the proportion of window areas is a key focus of the attention of the DMC. Consistent with the goal of achieving “perceived quality” in Pinewood Lakes, the DMC will discourage submittal showing windows of differing styles and types scattered over the various faces of the house. In general, the window treatment should be approached as a theme that can be repeated with variations, rather than regarding each window as a separate design/function problem that exists separately from all the other windows.

R. **Chimney Caps.** Chimney caps of purely utilitarian design shall not be allowed in Pinewood Lakes. Such caps, when necessary, shall be screened by a false cap appropriate to the design of the house.

ATTACHMENT A DMC REQUEST FORM

MODIFICATION / CONSTRUCTION REQUEST APPLICATION			
MODIFICATION/IMPROVEMENT		NEW CONSTRUCTION	
REQUESTOR		DATES	
NAME		SUBMITTED	
ADDRESS		PLANNED START	
PHONE		ESTIMATED END	
EMAIL			
TYPE OF MODIFICATION / IMPROVEMENT			
PAINT/STAIN		FENCE/HEDGE	
LANDSCAPE		PLANTER	
DRIVEWAY		SIDEWALK	
PATIO		PATIO COVER	
DO IT YOURSELF		OTHER (SPECIFY)	
BRIEF DESCRIPTION			
CONTRACTOR NAME/PHONE			
ATTACH ON SEPARATE PIECE OF PAPER			
DRAWING/SKETCH		COLOR CHIP	
Please show sizes/dimensions, location on property, and distance to lot lines			
DESIGN AND MODIFICATION COMMITTEE ACTION			
APPROVED AS SUBMITTED			
APPROVED WITH CHANGES			
DISAPPROVED and REASON			
DMC SIGNATURES & DATE SIGNED			
REQUESTOR NOTIFIED BY & DATE			